



# COMMONWEALTH of VIRGINIA

## DEPARTMENT OF ENVIRONMENTAL QUALITY

### NORTHERN REGIONAL OFFICE

Douglas W. Domenech  
Secretary of Natural Resources

13901 Crown Court, Woodbridge, Virginia 22193  
(703) 583-3800 Fax (703) 583-3821  
[www.deq.virginia.gov](http://www.deq.virginia.gov)

David K. Paylor  
Director

Thomas A. Faha  
Regional Director

21 July 2011

Charles Carrington and Sue Fredeen  
3913 James Madison Highway  
Haymarket, VA 20169

Subject: General VPDES Permit No. VAG406009  
Carrington Charles and Sue Fredeen Residence  
3913 James Madison Highway – Prince William County


Dear Charles Carrington and Sue Fredeen:

The Department of Environmental Quality has reviewed your Registration Statement and determined that this domestic sewage treatment facility is hereby covered under the referenced General VPDES Permit, effective 2 August 2011. A copy of the permit is enclosed. Please read it carefully, as you are responsible for assuring that the treatment facility is operated and maintained in accordance with the limitations and conditions of the General Permit. Also enclosed is a form, which may be used to request an ownership transfer for the General VPDES Permit. If you wish to have the permit ownership transferred, please complete the form and return it to this office accordingly.

Receipt of this General VPDES Permit does not relieve any owner of the responsibility to comply with any other statute or regulations, including applicable regulations of the Department of Health adopted pursuant to §§ 32.1-163 and 32.1-164 of the Code of Virginia. Specifically, for owners of single family homes, receipt of this General VPDES Permit does not relieve any owner of the responsibility to comply with the Department of Health's Alternative Discharging Sewage Treatment Regulations for Individual Single Family Dwellings (Virginia Regulation 12 VAC 5-640-10 et seq.).

Please feel free to contact Douglas Frasier at (703) 583-3873 or via email at [Douglas.Frasier@deq.virginia.gov](mailto:Douglas.Frasier@deq.virginia.gov), if you have any questions.

Respectfully,

  
for Bryant Thomas  
Water Permits Manager

cc: Prince William County Health District

Enc: General Permit for Domestic Sewage Discharges of  $\leq 1,000$  gpd



# *COMMONWEALTH of VIRGINIA*

## *DEPARTMENT OF ENVIRONMENTAL QUALITY*

*Street address:* 629 East Main Street, Richmond, Virginia 23219

*Mailing address:* P.O. Box 1105, Richmond, Virginia 23218

TDD (804) 698-4021

[www.deq.virginia.gov](http://www.deq.virginia.gov)

Douglas W. Domenech  
Secretary of Natural Resources

David K. Paylor  
Director

(804) 698-4000  
1-800-592-5482

General Permit No.: VAG40  
Effective Date: August 2, 2011  
Expiration Date: August 1, 2016

GENERAL PERMIT FOR DOMESTIC SEWAGE DISCHARGES OF LESS THAN OR EQUAL  
TO 1,000 GALLONS PER DAY  
AUTHORIZATION TO DISCHARGE UNDER THE VIRGINIA POLLUTANT DISCHARGE  
ELIMINATION SYSTEM AND THE VIRGINIA STATE WATER CONTROL LAW

In compliance with the provisions of the Clean Water Act (33 USC § 1251 et seq.), as amended, and pursuant to the State Water Control Law and regulations adopted pursuant thereto, owners of treatment works with domestic sewage discharges of a design flow of less than or equal to 1,000 gallons per day on a monthly average are authorized to discharge to surface waters within the boundaries of the Commonwealth of Virginia, except those waters specifically named in board regulations that prohibit such discharges.

The authorized discharge shall be in accordance with this cover page, Part I-Effluent Limitations, Monitoring Requirements and Special Conditions, and Part II-Conditions Applicable to All VPDES Permits, as set forth herein.

Part I  
Effluent Limitations, Monitoring Requirements, and Special Conditions

A. Effluent limitations and monitoring requirements—receiving waters where the 7Q10 flows are less than 0.2 MGD.

1. During the period beginning with the permit's effective date and lasting until the permit's expiration date, the permittee is authorized to discharge from outfall number 001 to receiving waters where the 7Q10 flows are less than 0.2 MGD.

The discharge shall be limited and monitored by the permittee as specified below:

| EFFLUENT CHARACTERISTICS               | DISCHARGE LIMITATIONS |                       | MONITORING REQUIREMENTS |             |
|--|-----------------------|-----------------------|-------------------------|-------------|
|  | Instantaneous Minimum | Instantaneous Maximum | Frequency               | Sample Type |
| Flow (MGD) <sup>(1)</sup>              | NA                    | NL                    | 1/year                  | Estimate    |
| BOD <sub>5</sub>                       | NA                    | 30 mg/l               | 1/year                  | Grab        |
| Total Suspended Solids                 | NA                    | 30 mg/l               | 1/year                  | Grab        |
| Total Residual Chlorine <sup>(2)</sup> |                       |                       |                         |             |
| After contact tank                     | 1.0 mg/l              | NA                    | 1/year                  | Grab        |
| Final effluent                         | NA                    | 0.016 mg/l            | 1/year                  | Grab        |
| E. coli <sup>(3)</sup>                 | NA                    | 235/100 ml            | 1/year                  | Grab        |
| enterococci <sup>(4)</sup>             | NA                    | 104/100 ml            | 1/year                  | Grab        |
| Fecal Coliform Bacteria <sup>(5)</sup> | NA                    | 200/100 ml            | 1/year                  | Grab        |
| pH (standard units)                    | 6.0                   | 9.0                   | 1/year                  | Grab        |
| Dissolved Oxygen                       | 5.0 mg/l              | NA                    | 1/year                  | Grab        |

NL = No Limitation, monitoring required  
NA = Not Applicable

(1) The design flow of this treatment facility is less than or equal to 1,000 gallons per day.

(2) Applies only when chlorine is used for disinfection and the discharge is into freshwater (see 9VAC25-260-140.C for the classes of waters and boundary designations).

(3) Applies only when methods other than chlorine are used for disinfection and the discharge is into freshwater (see 9VAC25-260-140.C for the classes of waters and boundary designations). When the facility is discharging, continuous disinfection shall be provided in order to maintain this effluent limit.

(4) Applies only when the discharge is into saltwater or the transition zone (see 9VAC25-260-140.C for the classes of waters and boundary designations). When the facility is discharging, continuous disinfection shall be provided in order to maintain this effluent limit.

(5) Applies only when the discharge is into shellfish waters (see 9VAC25-260-160 for the description of what are shellfish waters). When the facility is discharging, continuous disinfection shall be provided in order to maintain this effluent limit.

2. All monitoring data required by Part I A 1 shall be maintained on site in accordance with Part II B. Reporting of results to DEQ is not required; however, the monitoring results shall be made available to DEQ personnel upon request. Monitoring results for treatment works serving individual single family dwellings shall be submitted to the Virginia Department of Health in accordance with 12VAC5-640.

3. The 30-day average percent removal for BOD<sub>5</sub> and total suspended solids shall not be less than 85%.